Stock Name: Finetooth shark - Atlantic and Gulf of Mexico

Assessed in: November 2007

Parameter Name	Abundance	Catch
Type	Number of Fish	Total Landings
Source	Model	Observed
Basis	Individuals	Numbers
Range	All	All
Statistic	Point Estimate	Actual
Scale	1	1
Year		
1976	3715591	
1977	3746419	
1978	3782939	
1979	3804648	
1980	3853028	
1981	3886461	
1982	3914178	
1983	3947929	
1984	3973650	
1985	4007561	
1986	4029594	
1987	4050990	
1988	4060077	
1989	4067150	
1990	4086793	
1991	4101931	
1992	4125104	
1993	4134643	
1994	4149026	
1995	4160614	4355
1996	4165721	10269
1997	4168160	19144
1998	4162128	20839
1999	4159672	22161
2000	4158784	17076
2001	4147655	30103
2002	4144185	15701
2003	4146744	16272
2004	4152703	15086
2005	4157172	10663

## NOAA NMFS Stock Assessment Time Series Data

## TIME SERIES HEADER DESCRIPTIONS

Type: Provides a more detailed definition of the data being entered.

Source: Describes where a particular type of data comes from. Typical data sources include Model (output from an assessment model), Survey (index of survey observations), or Fishery (e.g. reported catch rather than a model estimate of catch).

Basis: Describes the units for the values being reported. For example: biomass-mt means stock weight in metric tons.

Range: Used in conjunction with type to refine the description of the data being entered. The range specifies a subset of the population to which the data apply. For example, Age 3+ means fish that are age 3 and older, or mature means just the mature portion of the stock.

Statistic: Describes the statistical characteristics of a time series column, and may include mean, median, index, observed, official, MCMC, lower 95% CI, upper 95% CI, etc.

Scalar: Describes a multiplier by which the reported values should be multiplied to restore them to their natural units. For example, if biomass is reported in 1000 mt, then a value of 1000 is entered in this field.