Stock Name: Smooth skate - Gulf of Maine

Assessed in: August 2016

Type Survey Source Survey CPUE Basis Catch (kg) tow Range All Statistic Mean Scale 1 Year .4 1965 .4 1967 .3 1968 .3 1969 .3	
Source Survey CPUE Basis Catch (kg) tow Range All Statistic Mean Scale 1 Year .4 1965 .4 1967 .3 1968 .3	
Basis Catch (kg) tow Range All Statistic Mean Scale 1 Year .4 1966 .4 1967 .3 1968 .3	
Range All Statistic Mean Scale 1 Year .4 1965 .4 1966 .4 1967 .3 1968 .3	
Statistic Mean Scale 1 Year .4 1965 .4 1966 .4 1967 .3 1968 .3	
Scale 1 Year .4 1965 .4 1966 .4 1967 .3 1968 .3	
Year 1965 .4 1966 .4 1967 .3 1968 .3	
1966 .4 1967 .3 1968 .3	
1966 .4 1967 .3 1968 .3	
1967 .3 1968 .3	
1968 .3	
1969 .3	
1970 .3	
1971 .2	
1972 .2	
1973 .3	
1974 .3	
1975 .2	
1976 .1	
1977 .2	
1978 .3	
1979 .3	
1980 .3	
1981 .2	
1982 .2	
1983 .1	
1984 .1	
1985 .2	
1986 .2	
1987 .2	
1988 .2	
1989 .2	
1990 .2	
1991 .2	
1992 .2	
1993 .2	
1994 .2	
1995 .2	
1996 .2	

NOAA NMFS Stock Assessment Time Series Data

1997	.2
1998	.1
1999	.1
2000	.1
2001	.2
2002	.2
2003	.2
2004	.2
2005	.2
2006	.2
2007	.1
2008	.1
2009	.1
2010	.2
2011	.2
2012	.2
2013	.2
2014	.2
2015	.2

TIME SERIES HEADER DESCRIPTIONS

Type: Provides a more detailed definition of the data being entered.

Source: Describes where a particular type of data comes from. Typical data sources include Model (output from an assessment model), Survey (index of survey observations), or Fishery (e.g. reported catch rather than a model estimate of catch).

Basis: Describes the units for the values being reported. For example: biomass-mt means stock weight in metric tons.

Range: Used in conjunction with type to refine the description of the data being entered. The range specifies a subset of the population to which the data apply. For example, Age 3+ means fish that are age 3 and older, or mature means just the mature portion of the stock.

Statistic: Describes the statistical characteristics of a time series column, and may include mean, median, index, observed, official, MCMC, lower 95% CI, upper 95% CI, etc.

Scalar: Describes a multiplier by which the reported values should be multiplied to restore them to their natural units. For example, if biomass is reported in 1000 mt, then a value of 1000 is entered

NOAA NMFS Stock Assessment Time Series Data

in this field.