Stock Name: Atlantic cod - Gulf of Maine Assessed in: November 2015

Parameter Name	Catch	Catch
Туре	Total catch	Total catch
Source	Fishery	Fishery
Basis	Biomass-mt	Biomass-mt
Range	All	All
Statistic	Mean	Mean
Scale	1	1
Year		
1982	17092	17092
1983	16478	16478
1984	12859	12859
1985	14383	14383
1986	12567	12567
1987	11981	11981
1988	10326	10326
1989	13333	13333
1990	19280	19280
1991	20944	20944
1992	12329	12329
1993	9909	9909
1994	9010	9010
1995	7517	7517
1996	7716	7716
1997	5785	5785
1998	4542	4542
1999	3042	3042
2000	5754	5754
2001	7941	7941
2002	6366	6366
2003	6356	6356
2004	5769	5769
2005	5258	5258
2006	4207	4207
2007	5485	5485
2008	7186	7186
2009	8247	8247
2010	7517	7517
2011	6673	6673
2012	3472	3472
2013	1777	1777

NOAA NMFS Stock Assessment Time Series Data					
2014	1471	1471			

TIME SERIES HEADER DESCRIPTIONS

Type: Provides a more detailed definition of the data being entered.

Source: Describes where a particular type of data comes from. Typical data sources include Model (output from an assessment model), Survey (index of survey observations), or Fishery (e.g. reported catch rather than a model estimate of catch).

Basis: Describes the units for the values being reported. For example: biomass-mt means stock weight in metric tons.

Range: Used in conjunction with type to refine the description of the data being entered. The range specifies a subset of the population to which the data apply. For example, Age 3+ means fish that are age 3 and older, or mature means just the mature portion of the stock.

Statistic: Describes the statistical characteristics of a time series column, and may include mean, median, index, observed, official, MCMC, lower 95% CI, upper 95% CI, etc.

Scalar: Describes a multiplier by which the reported values should be multiplied to restore them to their natural units. For example, if biomass is reported in 1000 mt, then a value of 1000 is entered in this field.