## NOAA NMFS Stock Assessment Time Series Data

Stock Name: Red deepsea crab - Northwestern Atlantic

Assessed in: July 2006

Parameter Name	Catch
Type	Landings only
Source	Fishery
Basis	Biomass-mt
Range	unknown
Statistic	
Scale	1
Year	
1982	2446
1983	3253
1984	3876
1985	2237
1986	1249
1987	2111
1988	3593
1989	2394
1990	1527
1991	1791
1992	1061
1993	1440
1994	0
1995	572
1996	466
1997	1726
1998	1501
1999	1870
2000	3130
2001	4004
2002	2143
2003	1920
2004	2041
2005	2014

## TIME SERIES HEADER DESCRIPTIONS

Type: Provides a more detailed definition of the data being entered.

Source: Describes where a particular type of data comes from. Typical data sources include Model (output from an assessment model), Survey (index of survey observations), or Fishery (e.g.

## NOAA NMFS Stock Assessment Time Series Data

reported catch rather than a model estimate of catch).

Basis: Describes the units for the values being reported. For example: biomass-mt means stock weight in metric tons.

Range: Used in conjunction with type to refine the description of the data being entered. The range specifies a subset of the population to which the data apply. For example, Age 3+ means fish that are age 3 and older, or mature means just the mature portion of the stock.

Statistic: Describes the statistical characteristics of a time series column, and may include mean, median, index, observed, official, MCMC, lower 95% CI, upper 95% CI, etc.

Scalar: Describes a multiplier by which the reported values should be multiplied to restore them to their natural units. For example, if biomass is reported in 1000 mt, then a value of 1000 is entered in this field.