

NATCARB_Coal_Poly (v1502)

FGDC Metadata

[Show Definitions](#)

[Description](#) | [Spatial](#) | [Data Structure](#) | [Data Quality](#) | [Data Source](#) | [Data Distribution](#) | [Metadata](#)

Description

Citation

Title: NATCARB_Coal_Poly (v1502)

Originators: National Carbon Sequestration Database and Geographic Information System (NATCARB), US Dept of Energy (DOE) National Energy Technology Laboratory (NETL)

Publication date: 20150514

Edition: v1502

Data type: vector digital data

Data location: http://www.netl.doe.gov/technologies/carbon_seq/natcarb/download.html

Other citation details: http://www.netl.doe.gov/technologies/carbon_seq/natcarb

Description

Abstract: The National Carbon Sequestration Database and Geographic Information System (NATCARB) Coal spatial database is a small-scale (large-area) overview of carbon dioxide (CO₂) geologic storage potential in unmineable coal areas across the USA and parts of Canada. This data layer reflects the best available knowledge regarding the location of carbon sequestration potential in the USA and Canada, both onshore and offshore.

Version Log:

v1101 - Initial release for Atlas III.

v1103 - Updated data for WESTCARB. Metadata revised.

v1104 - No changes to coal layer.

v1204 - Initial release for Atlas IV. New data submitted by all regional partnerships.

v1302 - No changes to coal layer. Metadata revised.

v1303 - No changes to coal layer.

v1403 - Initial release for Atlas V. No new data submitted. Corrections made to coal resource names in WESTCARB region.

v1501 - No changes to coal layer.

v1502 - No changes to coal layer.

NATCARB is administered by the US Dept. of Energy (DOE) National Energy Technology Laboratory (NETL) and contains data provided by several Regional Carbon Sequestration Partnerships (RCSP). RCSPs originally developed the data per individual geologic storage resource, or as continuous surface models, and then converted these data into a 10 km X 10 km vector "grid". The NATCARB Team at the Kansas Geological Survey compiled the regional datasets into a single, seamless layer.

Purpose: This dataset provides a single, seamless spatial database of carbon storage potentials for unmineable coal areas across the USA and parts of Canada compiled from regional datasets created by the RCSPs. Storage resource estimates are based on physically accessible CO₂ storage pore volume within subsurface geologic formations, and on the assumption that the storage reservoirs are open systems in which in situ fluids will either be displaced from the injection zone or managed accordingly. Economic and regulatory constraints are not considered. These data are intended to be used as an initial assessment of potential geologic storage and are not a substitute for site-specific assessment, testing, and geologic investigation. This spatial data layer provides carbon capture and storage (CCS) project developers a starting point for further inquiry into CCS technologies aimed at reducing CO₂ emissions and is intended for use by RCSPs, project developers, and governmental entities for regional- and national-scale assessments of potential CO₂ storage resources in the United States and parts of Canada.

Supplemental information: For a detailed methodology of storage resource estimates refer to Appendix B of The United States 2014 Carbon Utilization and Storage Atlas - Fifth Edition (Atlas V). For data access please contact the US DOE-NETL NATCARB Map Team - NatCarb.Maps@netl.doe.gov For questions regarding how the data were assembled, contact the KGS NATCARB Team - natcarb@kgs.ku.edu

Dataset credit: Version 1502 (second quarter release of 2015) of the NATCARB Coal spatial database was created by the NATCARB Team at the Kansas Geological Survey (KGS).

The following Regional Carbon Sequestration Partnerships (RCSP) contributed data to the national dataset:

Big Sky Carbon Sequestration Partnership (BSCSP);

Midwest Geological Sequestration Consortium (MGSC);

Midwest Regional Carbon Sequestration Partnership (MRCSP);
Plains CO2 Reduction Partnership (PCOR);
Southeast Regional Carbon Sequestration Partnership (SECARB);
Southwest Regional Partnership on Carbon Sequestration (SWP);
West Coast Regional Carbon Sequestration Partnership (WESTCARB).
Several site characterization project teams also contributed data through the RCSPs to be included in the national dataset:
Black Warrior Basin - University of Alabama;
Cambro-Ordovician Strata of the Illinois and Michigan Basins - University of Illinois Gulf of Mexico;
Miocene - University of Texas;
Triassic Newark Basin of New York and New Jersey - Sandia Technologies;
Ozark Plateau Study Area - University of Kansas;
Rocky Mountain Region - University of Utah;
South Georgia Rift Basin - South Carolina Research Institution;
Two Elk Energy Park - North American Power Group;
Wilmington Graben, Offshore Los Angeles - Terralog Technologies USA;
Wyoming - University of Wyoming.

Point Of Contact

Organization: NATCARB Map Team, US Dept. of Energy (DOE) National Energy Technology Laboratory (NETL)
Phone: 304-285-2006
Phone: 304-285-1354
Email: NatCarb.Maps@netl.doe.gov
Address type: mailing and physical
Address: 3610 Collins Ferry Road M/S F04
City: Morgantown
State or Province: West Virginia
Postal code: 26507
County: US

Data Type

Data type: vector digital data
Native dataset environment: Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.2.2.3552

Status

Data status: Complete
Update frequency: Quarterly

Key Words

Theme:
Keywords: NATCARB, Energy, Coal, Carbon Sequestration, US Department of Energy
Keyword thesaurus: None
Place:
Keywords: USA, Canada
Keyword thesaurus: ISO 19115 Topic Category
Stratum:
Keyword thesaurus: ISO 19115 Topic Category

Data Access Constraints

Access constraints: None
Use constraints: See access and use constraints information.

Spatial Reference Information

Horizontal Coordinate System

Coordinate System Details

Map projection

Map projection name: Lambert Azimuthal Equal-area

Longitude of projection center: -100.0

Latitude of projection center: 45.0

False easting: 0.0

False northing: 0.0

Planar Coordinate Information

Planar coordinate encoding method: coordinate pair

Coordinate representation:

Abscissa resolution: 0.0001

Ordinate resolution: 0.0001

Planar distance units: meter

Geodetic model

Horizontal datum name: D WGS 1984

Ellipsoid name: WGS 1984

Semi-major axis: 6378137.0

Denominator of flattening ratio: 298.257223563

Spatial Domain

Bounding Coordinates

In Unprojected coordinates (geographic)

Boundary	Coordinate
West	-178.429219 (latitude)
East	-40.914016 (latitude)
North	79.497703 (longitude)
South	20.236657 (longitude)

Data Structure and Attribute Information

Overview

Direct spatial reference method: Vector

Attributes of NATCARB_Coal_Poly_v1502

Description: Vector polygon features representing unmineable coal areas in the USA and Canada

Source: NATCARB

Attributes

SHAPE_Length

Definition: Length of feature in internal units.

Attribute values: Positive real numbers that are automatically generated.

Attribute definition source: ESRI

RESOURCE_NAME

Definition: Name of the geologic storage resource.

OBJECTID

Definition: Internal feature number.

Attribute values: Sequential unique whole numbers that are automatically generated.

Attribute definition source: ESRI

SHAPE

Definition: Feature geometry.

Attribute values: Coordinates defining the features.

Attribute definition source: ESRI

ASSESSED

Definition: Flag defining whether storage resource has been assessed for carbon storage potential

Attribute domain values

Value	Definition
0	Storage resource has not been assessed. Capacities must be <Null>.
1	Storage resource has been assessed. Capacities may be "0".

Attribute definition source: DOE-NETL/KGS

ARRA_PROJECT

Definition: Name of the site characterization study project.

Attribute domain values

Value	Definition
CAMBRO ORDOVICIAN	Cambro-Ordovician Strata of the Illinois and Michigan Basins - U. of Illinois
BLACK WARRIOR	Black Warrior Basin - U. of Alabama
NEWARK BASIN	Triassic Newark Basin of NY and NJ - Sandia Technologies
WYOMING	U. of Wyoming
WILMINGTON GRABEN	Wilmington Graben, Offshore Los Angeles - Terralog Technologies USA
ROCKY MOUNTAIN	Rocky Mountain Region - U. of Utah
GOM MIOCENE	Gulf of Mexico Miocene - U. of Texas at Austin
OZARK PLATEAU	Ozark Plateau Study Area - U. of Kansas
SOUTH GEORGIA	South Georgia Rift Basin - South Carolina Research Institution
TWO ELK	Two Elk Energy Park - North American Power Group

Attribute definition source: DOE-NETL

OVERLAP

Definition: Flag indicating an overlapping resource with another partnership.

Attribute domain values

Value	Definition
0	No overlap
1	Overlap exists with adjacent partnership

Attribute definition source: KGS

DUPLICATE

Definition: Flag indicating data is a duplicate of data from another partnership. Data was not used to calculate summaries in the Atlas.

Attribute domain values

Value	Definition
0	Not a duplicate
1	Duplicate data with adjacent partnership

Attribute definition source: KGS

CYCLE_OF_LAST_UPDATE

Definition: Last time data was updated by the partnership or site characterization project.

PARTNERSHIP

Definition: Abbreviation for RCSP.

Attribute domain values

Value	Definition
MRCSP	Midwest Regional Carbon Sequestration Partnership
SECARB	Southeast Regional Carbon Sequestration Partnership
WESTCARB	West Coast Regional Carbon Sequestration Partnership
MGSC	Midwest Geological Sequestration Consortium
BSCSP	Big Sky Sequestration Partnership
PCOR	The Plains CO2 Reduction Partnership
SWP	Southwest Regional Partnership on Carbon Sequestration

SHAPE_Area

Definition: Area of feature in internal units squared.

Attribute values: Positive real numbers that are automatically generated.

Attribute definition source: ESRI

SDTS Feature Description

Spatial data transfer standard (SDTS) terms

Feature class

Type: GT-polygon composed of chains

Count: 310

Data Quality and Accuracy Information

General

Logical consistency report: All RCSPs provided carbon storage data in accordance with common standards developed by the RCSPs and the NATCARB project teams. (See Sources for more information on methodologies). Discrepancies and overlaps occur at the boundaries of some adjacent partnerships and DOE-NETL is the final authority on the handling of these issues (see data fields OVERLAP and DUPLICATE in Entity Attributes section of this document for details).

Completeness report: This dataset reflects the best available knowledge regarding the location of potential carbon sequestration potential in the USA and Canada, both onshore and offshore. However, not all areas of the United States and Canada have been assessed (e.g., offshore New England). Not all RCSPs provided data for all attribute fields in the database (indicated by <Null>). Values of "0" represent actual measurements. Not all RCSPs provided low (VOL_LOW), medium (VOL_MED) and high (VOL_HIGH) estimates of carbon storage capacity. In cases where only medium estimates (VOL_MED) were provided, the medium capacities were copied into the VOL_LOW and VOL_HIGH attribute fields. If the RCSP provided low and high estimates of capacity but not medium, the VOL_MED field was calculated as the natural log mean of VOL_LOW and VOL_HIGH.

Attribute Accuracy

Attribute accuracy report: Questions regarding accuracy of the data (spatial and attribute) should be directed to the individual RCSPs. Except for certain cases of inter-partnership overlap, NATCARB did not make any changes to the data except for corrections to values in text fields (spelling, capitalization, etc.) when errors were noticed.

Data Source and Process Information

Data Sources

Data source information

MRCSP

Title: MRCSP Carbon Sequestration Potential

Originators: Midwest Regional Carbon Sequestration Partnership

Batelle Memorial Institute

Data type: vector digital data

Data location: <http://www.mrcsp.org/>, http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/rcsp.html

Media: None

Source contribution: Midwest Regional Carbon Sequestration Partnership provided data for the Ohio Valley and Northeastern United States (Eastern Indiana, Eastern Kentucky, Maryland, Michigan, New Jersey, New York, Ohio, Pennsylvania and West Virginia).

OZARK PLATEAU

Title: Modeling CO2 Sequestration in a Saline Reservoir and Depleted Oil Reservoir to Evaluate The Regional CO2 Sequestration Potential of The Ozark Plateau Aquifer System, South-Central Kansas

Originators: University of Kansas

Kansas Geological Survey

Data type: vector digital data

Data location: http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html, <http://www.netl.doe.gov/publications/factsheets/project/FE0002056.pdf>

Media: None

Source contribution: The University of Kansas contributed data for the Arbuckle saline resource in Kansas.

GEORGIA RIFT

Title: Geologic Characterization of the South Georgia Rift Basin for Source Proximal CO2 Storage

Originators: South Carolina Research Foundation

Data location: <http://www.netl.doe.gov/publications/factsheets/project/FE0001965.pdf>, http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html

Media: None

Source contribution: No data submitted for this version of the Atlas.

SWP

Title: SWP Carbon Sequestration Potential

Originators: New Mexico Institute of Mining and Technology

Southwest Regional Partnership on Carbon Sequestration

Data type: vector digital data

Data location: <http://www.southwestcarbonpartnership.org>, http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/rcsp.html

Media: None

Source contribution: Southwest Regional Partnership on Carbon Sequestration provided data for the Southwestern United States (Eastern Arizona, Colorado, Kansas, New Mexico, Western Texas and Utah).

WYOMING

Title: Site Characterization of the Highest Priority Geologic Formations for CO₂ Storage in Wyoming

Originators: University of Wyoming

Data location: <http://www.netl.doe.gov/publications/factsheets/project/FE0002142.pdf>,
http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html

Media: None

Source contribution: No data submitted for this version of the Atlas.

KGS

Title: KGS NATCARB

Originators: Kansas Geological Survey NATCARB Team

Media: None

Source contribution: As the primary entity responsible for compiling the NATCARB layers, the Kansas Geological Survey NATCARB Team worked closely with the DOE-NETL NATCARB Team to develop rules and methods for assembling the composite datasets.

PCOR

Title: PCOR Carbon Sequestration Potential

Originators: University of North Dakota, Energy and Environmental Research Center
The Plains CO₂ Reduction Partnership

Data type: vector digital data

Data location: http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/rcsp.html,
<http://www.undeerc.org/pcor/>

Media: None

Source contribution: The Plains CO₂ Reduction Partnership provided data for the upper Midwest and Central Canada (Iowa, Minnesota, Missouri, Eastern Montana, Nebraska, North Dakota, Eastern South Dakota, Wisconsin, Eastern Wyoming, Alberta, Northeastern British Columbia, Manitoba and Saskatchewan).

WILMINGTON GRABEN

Title: Characterization of Pliocene and Miocene Formations in the Wilmington Graben, Offshore Los Angeles, for Large Scale Geologic Storage of CO₂

Originators: Terralog Technologies USA

Data location: <http://www.netl.doe.gov/publications/factsheets/project/FE0001922.pdf>,
http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html

Media: None

Source contribution: No data submitted for this version of the Atlas.

CAMBRO ORDOVICIAN

Title: An Evaluation of the Carbon Sequestration Potential of the Cambro Ordovician Strata of the Illinois and Michigan Basins

Originators: University of Illinois
Illinois State Geological Survey

Data type: vector digital data

Data location: <http://www.netl.doe.gov/publications/factsheets/project/FE0002068.pdf>,
http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html

Media: None

Source contribution: The Illinois Geological Survey contributed data for portions of the St Peter Sandstone saline resource in Illinois and Michigan.

ROCKY MOUNTAIN

Title: Characterization of Most Promising Sequestration Formations in the Rocky Mountain Region

Originators: University of Utah

Data type: vector digital data

Data location: <http://www.netl.doe.gov/publications/factsheets/project/FE0001812.pdf>,

http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html

Media: None

Source contribution: The University of Utah contributed data for the Weber Sandstone saline resource in Colorado.

WESTCARB

Title: WESTCARB Carbon Sequestration Potential

Originators: California Energy Commission
West Coast Regional Carbon Sequestration Partnership

Data type: vector digital data

Data location: <http://www.westcarb.org/>, http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/rcsp.html

Media: None

Source contribution: West Coast Regional Carbon Sequestration Partnership provided data for the Western United States and Canada (Alaska, Western Arizona, Western British Columbia, California, Hawaii, Nevada, Western Oregon and Western Washington).

Atlas V

Title: The United States 2014 Carbon Utilization and Storage Atlas

Originators: US Department of Energy - National Energy Technology Laboratory Carbon Sequestration Program

Publisher: US Department of Energy - National Energy Technology Laboratory

Edition: Fourth

Data location: http://www.netl.doe.gov/technologies/carbon_seq/refshelf/atlasV/

Other citation details: <http://www.netl.doe.gov> 1-800-553-7681

Media: onLine

Source contribution: The United States 2014 Carbon Utilization and Storage Atlas - Fifth Edition (Atlas V) provides updated information regarding carbon dioxide storage potential in the US and Canada and includes maps, summary tables and, in Appendices A and B, detailed methodologies.

MGSC

Title: MGSC Carbon Sequestration Potential

Originators: Illinois State Geological Survey
Midwest Geological Sequestration Consortium

Data type: vector digital data

Data location: <http://www.sequestration.org/>, http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/rcsp.html

Media: None

Source contribution: Midwest Geological Sequestration Consortium provided data for Illinois, Western Indiana and Western Kentucky.

SECARB

Title: SECARB Carbon Sequestration Potential

Originators: Southeast Regional Carbon Sequestration Partnership
Southern States Energy Board

Data type: vector digital data

Data location: <http://www.secarbon.org/>, http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/rcsp.html

Media: None

Source contribution: Southeast Regional Carbon Sequestration Partnership provided data for the Southeastern United States (Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Eastern Texas, West Virginia and Virginia).

TWO ELK

Title: Two Elk Energy Park Carbon Site Characterization Project

Originators: North American Power Group, Ltd.

Data location: http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html,
<http://www.netl.doe.gov/publications/factsheets/project/FE0001997.pdf>

Media: None

Source contribution: No data submitted for this version of the Atlas.

BSCSP

Title: BSCSP Carbon Sequestration Potential

Originators: Big Sky Sequestration Partnership
Montana State University

Data type: vector digital data

Data location: <http://www.bigskyco2.org/>, http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/rcsp.html

Media: None

Source contribution: Big Sky Carbon Sequestration Partnership provided data for the Innermountain West region of the Northwestern United States (Idaho, Eastern Montana, Eastern Oregon, Western South Dakota, Eastern Washington and Wyoming).

DOE-NETL

Title: DOE-NETL

Originators: US Department of Energy (DOE) National Energy Technology Laboratory NATCARB Team

Media: None

Source contribution: As the responsible authority for the National Carbon Sequestration Database and Geographic Information System (NATCARB), the US Department of Energy (DOE) National Energy Technology Laboratory (NETL) NATCARB Team provided data, methodological guidance and expertise in handling issues specific to creation of the composite NATCARB data layers.

BLACK WARRIOR

Title: Site Characterization for CO₂ Storage from Coal-fired Power Facilities in the Black Warrior Basin of Alabama

Originators: University of Alabama

Data type: vector digital data

Data location: http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html,
<http://www.netl.doe.gov/publications/factsheets/project/FE0001910.pdf>

Media: None

Source contribution: The University of Alabama contributed data for multiple saline resources in the Black Warrior Basin in Alabama.

NEWARK BASIN

Title: Characterization of the Triassic Newark Basin of New York and New Jersey for Geologic Storage of Carbon Dioxide

Originators: Sandia Technologies LLC

Data location: <http://www.netl.doe.gov/publications/factsheets/project/FE0002352.pdf>,
http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html

Media: None

Source contribution: No data submitted for this version of the Atlas.

GOM MIocene

Title: Gulf of Mexico Miocene CO₂ Site Characterization Mega Transect

Originators: University of Texas at Austin

Data location: http://www.netl.doe.gov/technologies/carbon_seq/infrastructure/arrasitechar.html,
<http://www.netl.doe.gov/publications/factsheets/project/FE0001941.pdf>

Media: None

Source contribution: No data submitted for this version of the Atlas.

Process Steps

Process step information

Process Step 1

Process description: The NATCARB Group at the Kansas Geological Survey assembled GIS datasets from the regional partnerships (and other sources where necessary) into a single layer using ESRI's ArcInfo (v10.2.2) software in the Summer and Fall of 2014. All partnerships provided data in 10 km by 10 km vector "cells" and simple polygon outlines of resource boundaries. Not all partnerships provided low, medium and high capacity estimates. Where only medium capacities were provided, KGS made the low and high capacity fields (VOL_LOW and VOL_HIGH, respectively) equal to the medium capacity (VOL_MED). Where only low and high estimates were provided, medium values were calculated as the natural log mean of the low and high volumes. Other alterations to the data include identifying overlapping and duplicate data submitted by adjacent partnerships and making corrections to values in text fields (spelling, capitalization, etc.) when errors were noticed.

Organization: GIS Support Section, Kansas Geological Survey

Position: NatCarb Team

Phone: 785-864-3965

Email: natcarb@kgs.ku.edu

Hours of service: 8 am - 5 pm M-F

Address type: mailing and physical

Address: 1930 Constant Ave

City: Lawrence

State or Province: KS

Postal code: 66047-3726

County: US

Process Step 2

Process description: Metadata updated.

Organization: GIS Support Section, Kansas Geological Survey

Position: NATCARB Team

Data Distribution Information

General

Distribution liability: See access and use constraints information.

Distribution Point of Contact

Organization: NATCARB Map Team, US Department of Energy (DOE) National Energy Technology Laboratory (NETL)

Phone: 304-285-2006

Phone: 304-285-1354

Email: NATCARB.Maps@NETL.DOE.GOV

Address type: mailing and physical

Address: 3610 Collins Ferry Road M/S F04

City: Morgantown

State or Province: West Virginia

Postal code: 26507

County: US

Standard Order Process

Digital form:

Format name: ESRI File Geodatabase

Format version number: 10.2.2

File decompression technique: zip

Digital transfer option:

Online option:

Computer information:

Network address:

Network resource name: http://www.netl.doe.gov/technologies/carbon_seq/natcarb/download.html

Fees: None

Ordering instructions: GIS datasets in ESRI file geodatabase format are available online. Please contact NATCARB Map Team for custom requests.

Metadata Reference

Metadata Date

Last updated: 20150514

Metadata Point of Contact

Organization: GIS Support Section, Kansas Geological Survey

Position: NATCARB Team

Phone: 785-864-3965

Email: natcarb@kgs.ku.edu

Hours of service: 8 am - 5 pm M-F

Address type: mailing and physical

Address: 1930 Constant Ave

City: Lawrence

State or Province: Kansas

Postal code: 66047-3726

County: US

Metadata Standards

Standard name: FGDC Content Standard for Digital Geospatial Metadata

Standard version: FGDC-STD-001-1998

Time convention: local time

FGDC Plus Metadata Stylesheet

Federal Geographic Data Committee