

INSTRUCTIONAL LEVEL

LEVEL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.Elementary	530	50.72	530	50.72
2.Secondary/combined	515	49.28	1045	100.00

ENROLLMENT SIZE (IN CATEGORIES)

SIZE2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.Less than 350 (small)	256	24.50	256	24.50
2.350 to 699 (medium)	349	33.40	605	57.89
3.700 or more (large)	440	42.11	1045	100.00

SCHOOL LOCALE

URBAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.City	267	25.55	267	25.55
2.Urban fringe/large town	367	35.12	634	60.67
3.Small town/rural	411	39.33	1045	100.00

NAEP GEOGRAPHIC REGION

OEREG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.Northeast	183	17.51	183	17.51
2.Southeast	233	22.30	416	39.81
3.Central	282	26.99	698	66.79
4.West	347	33.21	1045	100.00

PERCENT MINORITY ENROLLMENT

MINST	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.Missing	21	2.01	21	2.01
1.Less than 6% Minority	237	22.68	258	24.69
2.6% to 20% Minority	242	23.16	500	47.85
3.21% to 49% Minority	215	20.57	715	68.42
4.50% or more Minority	330	31.58	1045	100.00

PERCENT FREE OR REDUCED-PRICE LUNCH (IN CATEGORIES)

POVERTY2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.Less than 35%	427	40.86	427	40.86
2.35% to 49%	175	16.75	602	57.61
3.50% to 74%	216	20.67	818	78.28
4.75% or more	227	21.72	1045	100.00

School has classrooms in permanent buildings

Q1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1037	99.23	1037	99.23
No	8	0.77	1045	100.00

Satisfaction with artificial lighting in permanent buildings

Q2A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Very satisfactory	415	39.71	423	40.48
Satisfactory	551	52.73	974	93.21
Unsatisfactory	58	5.55	1032	98.76
Very unsatisfactory	13	1.24	1045	100.00

Satisfaction with natural lighting in permanent buildings

Q2B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not applicable	40	3.83	48	4.59
Very satisfactory	309	29.57	357	34.16
Satisfactory	534	51.10	891	85.26
Unsatisfactory	130	12.44	1021	97.70
Very unsatisfactory	24	2.30	1045	100.00

Satisfaction with heating in permanent buildings

Q2C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not applicable	9	0.86	17	1.63
Very satisfactory	274	26.22	291	27.85
Satisfactory	595	56.94	886	84.78
Unsatisfactory	131	12.54	1017	97.32
Very unsatisfactory	28	2.68	1045	100.00

Satisfaction with air conditioning in permanent buildings

	Q2D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		8	0.77	8	0.77
Not applicable		163	15.60	171	16.36
Very satisfactory		231	22.11	402	38.47
Satisfactory		433	41.44	835	79.90
Unsatisfactory		146	13.97	981	93.88
Very unsatisfactory		64	6.12	1045	100.00

Satisfaction with ventilation in permanent buildings

	Q2E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		8	0.77	8	0.77
Very satisfactory		230	22.01	238	22.78
Satisfactory		627	60.00	865	82.78
Unsatisfactory		148	14.16	1013	96.94
Very unsatisfactory		32	3.06	1045	100.00

Satisfaction with indoor air quality in permanent buildings

	Q2F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		8	0.77	8	0.77
Very satisfactory		237	22.68	245	23.44
Satisfactory		663	63.44	908	86.89
Unsatisfactory		110	10.53	1018	97.42
Very unsatisfactory		27	2.58	1045	100.00

Satisfaction with acoustics or noise control in permanent buildings

	Q2G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		8	0.77	8	0.77
Very satisfactory		216	20.67	224	21.44
Satisfactory		665	63.64	889	85.07
Unsatisfactory		133	12.73	1022	97.80
Very unsatisfactory		23	2.20	1045	100.00

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Satisfaction with physical condition of ceilings,floors,walls, windows, doors in permanent buildings

	Q2H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		8	0.77	8	0.77
Very satisfactory		307	29.38	315	30.14
Satisfactory		552	52.82	867	82.97
Unsatisfactory		150	14.35	1017	97.32
Very unsatisfactory		28	2.68	1045	100.00

Satisfaction with size or configuration of classrooms in permanent buildings

	Q2I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		8	0.77	8	0.77
Very satisfactory		272	26.03	280	26.79
Satisfactory		615	58.85	895	85.65
Unsatisfactory		129	12.34	1024	97.99
Very unsatisfactory		21	2.01	1045	100.00

Extent that artificial lighting interferes with instruction in permanent buildings

	Q3A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		8	0.77	8	0.77
Not at all		796	76.17	804	76.94
Minor extent		184	17.61	988	94.55
Moderate extent		48	4.59	1036	99.14
Major extent		9	0.86	1045	100.00

Extent that natural lighting interferes with instruction in permanent buildings

	Q3B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		8	0.77	8	0.77
Not applicable		40	3.83	48	4.59
Not at all		747	71.48	795	76.08
Minor extent		189	18.09	984	94.16
Moderate extent		52	4.98	1036	99.14
Major extent		9	0.86	1045	100.00

Extent that heating interferes with instruction in permanent buildings

Q3C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not applicable	9	0.86	17	1.63
Not at all	635	60.77	652	62.39
Minor extent	262	25.07	914	87.46
Moderate extent	101	9.67	1015	97.13
Major extent	30	2.87	1045	100.00

Extent that air conditioning interferes with instruction in permanent buildings

Q3D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not applicable	163	15.60	171	16.36
Not at all	467	44.69	638	61.05
Minor extent	236	22.58	874	83.64
Moderate extent	107	10.24	981	93.88
Major extent	64	6.12	1045	100.00

Extent that ventilation interferes with instruction in permanent buildings

Q3E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not at all	681	65.17	689	65.93
Minor extent	230	22.01	919	87.94
Moderate extent	91	8.71	1010	96.65
Major extent	35	3.35	1045	100.00

Extent that indoor air quality interferes with instruction in permanent buildings

Q3F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not at all	708	67.75	716	68.52
Minor extent	227	21.72	943	90.24
Moderate extent	73	6.99	1016	97.22
Major extent	29	2.78	1045	100.00

Extent that acoustics or noise control interferes with instruction in permanent buildings

Q3G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not at all	628	60.10	636	60.86
Minor extent	276	26.41	912	87.27
Moderate extent	101	9.67	1013	96.94
Major extent	32	3.06	1045	100.00

Extent condition of ceilings,floors,walls,windows,doors interferes with instruct in perm bldgs

Q3H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not at all	720	68.90	728	69.67
Minor extent	204	19.52	932	89.19
Moderate extent	87	8.33	1019	97.51
Major extent	26	2.49	1045	100.00

Extent that size or configuration of rooms interferes with instruction in permanent buildings

Q3I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not at all	646	61.82	654	62.58
Minor extent	255	24.40	909	86.99
Moderate extent	94	9.00	1003	95.98
Major extent	42	4.02	1045	100.00

Extent that all factors together interfere with instruction in permanent buildings

Q4	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	8	0.77	8	0.77
Not at all	581	55.60	589	56.36
Minor extent	344	32.92	933	89.28
Moderate extent	94	9.00	1027	98.28
Major extent	18	1.72	1045	100.00

School has portable (temporary) buildings

Q5	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	397	37.99	397	37.99
No	648	62.01	1045	100.00

School has classrooms in portable (temporary) buildings

Q6	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	369	35.31	1017	97.32
No	28	2.68	1045	100.00

Satisfaction with artificial lighting in portable (temporary) buildings

Q7A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Very satisfactory	85	8.13	761	72.82
Satisfactory	248	23.73	1009	96.56
Unsatisfactory	29	2.78	1038	99.33
Very unsatisfactory	7	0.67	1045	100.00

Satisfaction with natural lighting in portable (temporary) buildings

Q7B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not applicable	17	1.63	693	66.32
Very satisfactory	61	5.84	754	72.15
Satisfactory	206	19.71	960	91.87
Unsatisfactory	72	6.89	1032	98.76
Very unsatisfactory	13	1.24	1045	100.00

Satisfaction with heating in portable (temporary) buildings

Q7C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not applicable	4	0.38	680	65.07
Very satisfactory	88	8.42	768	73.49
Satisfactory	240	22.97	1008	96.46
Unsatisfactory	33	3.16	1041	99.62
Very unsatisfactory	4	0.38	1045	100.00

Satisfaction with air conditioning in portable (temporary) buildings

	Q7D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		676	64.69	676	64.69
Not applicable		10	0.96	686	65.65
Very satisfactory		91	8.71	777	74.35
Satisfactory		220	21.05	997	95.41
Unsatisfactory		42	4.02	1039	99.43
Very unsatisfactory		6	0.57	1045	100.00

Satisfaction with ventilation in portable (temporary) buildings

	Q7E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		676	64.69	676	64.69
Very satisfactory		67	6.41	743	71.10
Satisfactory		228	21.82	971	92.92
Unsatisfactory		64	6.12	1035	99.04
Very unsatisfactory		10	0.96	1045	100.00

Satisfaction with indoor air quality in portable (temporary) buildings

	Q7F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		676	64.69	676	64.69
Very satisfactory		64	6.12	740	70.81
Satisfactory		238	22.78	978	93.59
Unsatisfactory		59	5.65	1037	99.23
Very unsatisfactory		8	0.77	1045	100.00

Satisfaction with acoustics or noise control in portable (temporary) buildings

	Q7G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable		676	64.69	676	64.69
Very satisfactory		69	6.60	745	71.29
Satisfactory		223	21.34	968	92.63
Unsatisfactory		66	6.32	1034	98.95
Very unsatisfactory		11	1.05	1045	100.00

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Satisfaction with physical condition of ceilings,floors,walls,windows, doors in portable (temp) bldg

Q7H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Very satisfactory	71	6.79	747	71.48
Satisfactory	204	19.52	951	91.00
Unsatisfactory	82	7.85	1033	98.85
Very unsatisfactory	12	1.15	1045	100.00

Satisfaction with size or configuration of classrooms in portable (temporary) buildings

Q7I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Very satisfactory	68	6.51	744	71.20
Satisfactory	222	21.24	966	92.44
Unsatisfactory	67	6.41	1033	98.85
Very unsatisfactory	12	1.15	1045	100.00

Extent that artificial lighting interferes with instruction in portable (temporary) buildings

Q8A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not at all	248	23.73	924	88.42
Minor extent	95	9.09	1019	97.51
Moderate extent	18	1.72	1037	99.23
Major extent	8	0.77	1045	100.00

Extent that natural lighting interferes with instruction in portable (temporary) buildings

Q8B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not applicable	17	1.63	693	66.32
Not at all	229	21.91	922	88.23
Minor extent	88	8.42	1010	96.65
Moderate extent	30	2.87	1040	99.52
Major extent	5	0.48	1045	100.00

Extent that heating interferes with instruction in portable (temporary) buildings

Q8C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not applicable	4	0.38	680	65.07
Not at all	241	23.06	921	88.13
Minor extent	88	8.42	1009	96.56
Moderate extent	28	2.68	1037	99.23
Major extent	8	0.77	1045	100.00

Extent that air conditioning interferes with instruction in portable (temporary) buildings

Q8D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not applicable	10	0.96	686	65.65
Not at all	231	22.11	917	87.75
Minor extent	85	8.13	1002	95.89
Moderate extent	30	2.87	1032	98.76
Major extent	13	1.24	1045	100.00

Extent that ventilation interferes with instruction in portable (temporary) buildings

Q8E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not at all	227	21.72	903	86.41
Minor extent	88	8.42	991	94.83
Moderate extent	43	4.11	1034	98.95
Major extent	11	1.05	1045	100.00

Extent that indoor air quality interferes with instruction in portable (temporary) buildings

Q8F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not at all	230	22.01	906	86.70
Minor extent	92	8.80	998	95.50
Moderate extent	39	3.73	1037	99.23
Major extent	8	0.77	1045	100.00

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Extent that acoustics or noise control interferes with instruction in portable (temporary) buildings

Q8G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not at all	210	20.10	886	84.78
Minor extent	96	9.19	982	93.97
Moderate extent	49	4.69	1031	98.66
Major extent	14	1.34	1045	100.00

Extent condition of ceilings,floors,walls,windows,doors
interferes with instruction in portable (temp) bldgs

Q8H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not at all	223	21.34	899	86.03
Minor extent	96	9.19	995	95.22
Moderate extent	40	3.83	1035	99.04
Major extent	10	0.96	1045	100.00

Extent that size or configuration of classrooms interferes with instruction in portable (temp) bldgs

Q8I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not at all	216	20.67	892	85.36
Minor extent	89	8.52	981	93.88
Moderate extent	46	4.40	1027	98.28
Major extent	18	1.72	1045	100.00

Extent that all factors together interfere with instruction in portable (temporary) buildings

Q9	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	676	64.69	676	64.69
Not at all	199	19.04	875	83.73
Minor extent	113	10.81	988	94.55
Moderate extent	49	4.69	1037	99.23
Major extent	8	0.77	1045	100.00

Use portable (temporary) buildings for general classrooms

Q10A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	317	30.33	965	92.34
No	80	7.66	1045	100.00

Use portable (temporary) buildings for academic support areas

Q10B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	221	21.15	869	83.16
No	176	16.84	1045	100.00

Use portable (temporary) buildings for music room

Q10C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	81	7.75	729	69.76
No	316	30.24	1045	100.00

Use portable (temporary) buildings for art room

Q10D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	37	3.54	685	65.55
No	360	34.45	1045	100.00

Use portable (temporary) buildings for computer lab

Q10E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	37	3.54	685	65.55
No	360	34.45	1045	100.00

Use portable (temporary) buildings for language lab

Q10F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	31	2.97	679	64.98
No	366	35.02	1045	100.00

Use portable (temporary) buildings for library media center

Q10G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	19	1.82	667	63.83
No	378	36.17	1045	100.00

Use portable (temporary) buildings for early childhood programs

Q10H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	42	4.02	690	66.03
No	355	33.97	1045	100.00

Use portable (temporary) buildings for day care center for preschool-age children

Q10I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	18	1.72	666	63.73
No	379	36.27	1045	100.00

Use portable (temporary) buildings for before- and after- school care for school-age children

Q10J	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	40	3.83	688	65.84
No	357	34.16	1045	100.00

Use portable (temporary) buildings for office/administrative space

Q10K	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	45	4.31	693	66.32
No	352	33.68	1045	100.00

Use portable (temporary) buildings for teacher work room

Q10L	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	32	3.06	680	65.07
No	365	34.93	1045	100.00

Use portable (temporary) buildings for storage

Q10M	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	109	10.43	757	72.44
No	288	27.56	1045	100.00

Use portable (temporary) buildings in other ways

Q10N	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	52	4.98	700	66.99
No	345	33.01	1045	100.00

Increase in enrollment is a reason to use portable (temporary) buildings

Q11A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	295	28.23	943	90.24
No	102	9.76	1045	100.00

Introduction of all-day kindergarten is a reason to use portable (temporary) buildings

Q11B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	26	2.49	674	64.50
No	371	35.50	1045	100.00

Intro of pre-K, Head Start, or other early childhood program is reason to use portable (temp) bldgs

Q11C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	39	3.73	687	65.74
No	358	34.26	1045	100.00

Initiatives to reduce class size are reasons to use portable (temporary) buildings

Q11D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	139	13.30	787	75.31
No	258	24.69	1045	100.00

Changes in academic programs/curriculum are reasons to use portable (temporary) buildings

Q11E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	57	5.45	705	67.46
No	340	32.54	1045	100.00

Need to add or expand academic support programs is a reason to use portable (temporary) buildings

Q11F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	129	12.34	777	74.35
No	268	25.65	1045	100.00

Need for space for new or expanded technology is a reason to use portable (temporary) buildings

Q11G	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	43	4.11	691	66.12
No	354	33.88	1045	100.00

Need for additional office/administrative space is a reason to use portable (temporary) buildings

Q11H	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	30	2.87	678	64.88
No	367	35.12	1045	100.00

Temporary relocation due to renovation/replacement of existing buildings is reason to use portables

Q11I	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	54	5.17	702	67.18
No	343	32.82	1045	100.00

Other reasons to use portable (temporary) buildings

Q11J	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	648	62.01	648	62.01
Yes	48	4.59	696	66.60
No	349	33.40	1045	100.00

Have a dedicated room or facility for science lab(s)

Q12A1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	681	65.17	681	65.17
No	364	34.83	1045	100.00

Extent that science lab(s) support instruction

Q12A2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	364	34.83	364	34.83
Not at all	22	2.11	386	36.94
Minor extent	41	3.92	427	40.86
Moderate extent	123	11.77	550	52.63
Major extent	495	47.37	1045	100.00

Have a dedicated room or facility for art room(s)

Q12B1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	800	76.56	800	76.56
No	245	23.44	1045	100.00

Extent that art room(s) support instruction

Q12B2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	245	23.44	245	23.44
Not at all	32	3.06	277	26.51
Minor extent	45	4.31	322	30.81
Moderate extent	123	11.77	445	42.58
Major extent	600	57.42	1045	100.00

Have a dedicated room or facility for music room(s)

Q12C1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	888	84.98	888	84.98
No	157	15.02	1045	100.00

Extent that music room(s) support instruction

Q12C2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	157	15.02	157	15.02
Not at all	36	3.44	193	18.47
Minor extent	46	4.40	239	22.87
Moderate extent	123	11.77	362	34.64
Major extent	683	65.36	1045	100.00

Have a dedicated room or facility for a gymnasium

Q12D1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	901	86.22	901	86.22
No	144	13.78	1045	100.00

Extent that gymnasium supports instruction

Q12D2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	144	13.78	144	13.78
Not at all	39	3.73	183	17.51
Minor extent	40	3.83	223	21.34
Moderate extent	110	10.53	333	31.87
Major extent	712	68.13	1045	100.00

Satisfaction with the cleanliness and maintenance of student restrooms

Q13	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very satisfactory	393	37.61	393	37.61
Satisfactory	553	52.92	946	90.53
Unsatisfactory	84	8.04	1030	98.56
Very unsatisfactory	15	1.44	1045	100.00

Percent that school is underenrolled or overenrolled (calculated using Q14 and Q15, coded in categories)

CROWD_R1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
MORE THAN 25% UNDERENROLLED	188	17.99	188	17.99
6-25% UNDERENROLLED	388	37.13	576	55.12
WITHIN 5% OF CAPACITY	239	22.87	815	77.99
6-25% OVERENROLLED	126	12.06	941	90.05
MORE THAN 25% OVERENROLLED	104	9.95	1045	100.00

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Number of students enrolled at the school is larger than the number the school is designed to serve

Q16	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	272	26.03	272	26.03
No	773	73.97	1045	100.00

Consider the school overcrowded

Q17	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	773	73.97	773	73.97
Yes	198	18.95	971	92.92
No	74	7.08	1045	100.00

School is building new permanent buildings or additions to deal with the overcrowding

Q18A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	847	81.05	847	81.05
Yes	73	6.99	920	88.04
No	125	11.96	1045	100.00

School is using portable (temporary) classrooms to deal with the overcrowding

Q18B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	847	81.05	847	81.05
Yes	147	14.07	994	95.12
No	51	4.88	1045	100.00

School is converting non-classroom space into classrooms to deal with the overcrowding

Q18C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	847	81.05	847	81.05
Yes	112	10.72	959	91.77
No	86	8.23	1045	100.00

School is using off-site instructional facilities to deal with the overcrowding

Q18D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	847	81.05	847	81.05
Yes	19	1.82	866	82.87
No	179	17.13	1045	100.00

School is increasing class sizes to deal with the overcrowding

Q18E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	847	81.05	847	81.05
Yes	100	9.57	947	90.62
No	98	9.38	1045	100.00

School is using other approaches to deal with the overcrowding

Q18F	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	847	81.05	847	81.05
Yes	29	2.78	876	83.83
No	169	16.17	1045	100.00

Anticipate that the overcrowding will be substantially reduced or eliminated in the next 3 years

Q19	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	847	81.05	847	81.05
Yes	81	7.75	928	88.80
No	117	11.20	1045	100.00

New permanent buildings or additions will be completed which will reduce overcrowding

Q20A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	964	92.25	964	92.25
Yes	51	4.88	1015	97.13
No	30	2.87	1045	100.00

Construction of new schools nearby will be completed which will reduce overcrowding

Q20B	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	964	92.25	964	92.25
Yes	37	3.54	1001	95.79
No	44	4.21	1045	100.00

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

School boundary changes with existing schools will be implemented which will reduce overcrowding

Q20C	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	964	92.25	964	92.25
Yes	29	2.78	993	95.02
No	52	4.98	1045	100.00

School-age population in school's service area is projected to decline which will reduce overcrowding

Q20D	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	964	92.25	964	92.25
Yes	17	1.63	981	93.88
No	64	6.12	1045	100.00

Other reasons will reduce overcrowding

Q20E	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Inapplicable	964	92.25	964	92.25
Yes	4	0.38	968	92.63
No	77	7.37	1045	100.00

Imputation flag for q2c

Q2C_IFG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not imputed	1043	99.81	1043	99.81
Imputed	2	0.19	1045	100.00

Imputation flag for q2e

Q2E_IFG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not imputed	1044	99.90	1044	99.90
Imputed	1	0.10	1045	100.00

Imputation flag for q2f

Q2F_IFG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not imputed	1044	99.90	1044	99.90
Imputed	1	0.10	1045	100.00

Imputation flag for q2h

Q2H_IFG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not imputed	1044	99.90	1044	99.90
Imputed	1	0.10	1045	100.00

Imputation flag for q3c

Q3C_IFG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not imputed	1043	99.81	1043	99.81
Imputed	2	0.19	1045	100.00

Imputation flag for q3h

Q3H_IFG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not imputed	1044	99.90	1044	99.90
Imputed	1	0.10	1045	100.00

Imputation flag for q7f

Q7F_IFG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not imputed	1044	99.90	1044	99.90
Imputed	1	0.10	1045	100.00

Imputation flag for q14

Q14_IFG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Not imputed	1044	99.90	1044	99.90
Imputed	1	0.10	1045	100.00

Analysis Variable : AWT FINAL SCHOOL WEIGHT

Sum	Minimum	Maximum	Std Dev
80910.42	19.8535334	198.5415337	48.3513437

Analysis Variable : AWT1 REPLICATE WEIGHT 1

Sum	Minimum	Maximum	Std Dev
80794.70	0	202.5934017	50.3096013

FRSS 88 Public Use Data File

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Analysis Variable : AWT2 REPLICATE WEIGHT 2

Sum	Minimum	Maximum	Std Dev
80824.44	0	202.5934017	50.1505337

Analysis Variable : AWT3 REPLICATE WEIGHT 3

Sum	Minimum	Maximum	Std Dev
80797.65	0	202.5934017	50.2764387

Analysis Variable : AWT4 REPLICATE WEIGHT 4

Sum	Minimum	Maximum	Std Dev
80944.61	0	202.5934017	50.0384997

Analysis Variable : AWT5 REPLICATE WEIGHT 5

Sum	Minimum	Maximum	Std Dev
80829.65	0	202.5934017	50.1169578

Analysis Variable : AWT6 REPLICATE WEIGHT 6

Sum	Minimum	Maximum	Std Dev
80840.14	0	202.5934017	50.3042691

Analysis Variable : AWT7 REPLICATE WEIGHT 7

Sum	Minimum	Maximum	Std Dev
80816.30	0	202.5934017	50.3211962

Analysis Variable : AWT8 REPLICATE WEIGHT 8

Sum	Minimum	Maximum	Std Dev
80890.08	0	202.5934017	49.7330372

FRSS 88 Public Use Data File

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Analysis Variable : AWT9 REPLICATE WEIGHT 9

Sum	Minimum	Maximum	Std Dev
80852.94	0	202.5934017	50.2616596

Analysis Variable : AWT10 REPLICATE WEIGHT 10

Sum	Minimum	Maximum	Std Dev
80958.34	0	215.0762788	50.2553024

Analysis Variable : AWT11 REPLICATE WEIGHT 11

Sum	Minimum	Maximum	Std Dev
80834.53	0	215.0762788	50.1597142

Analysis Variable : AWT12 REPLICATE WEIGHT 12

Sum	Minimum	Maximum	Std Dev
80754.86	0	215.0762788	50.1631519

Analysis Variable : AWT13 REPLICATE WEIGHT 13

Sum	Minimum	Maximum	Std Dev
80989.59	0	215.0762788	50.1399613

Analysis Variable : AWT14 REPLICATE WEIGHT 14

Sum	Minimum	Maximum	Std Dev
80890.32	0	202.5934017	50.0511362

Analysis Variable : AWT15 REPLICATE WEIGHT 15

Sum	Minimum	Maximum	Std Dev
80892.82	0	202.5934017	50.2186585

Analysis Variable : AWT16 REPLICATE WEIGHT 16

Sum	Minimum	Maximum	Std Dev
80969.72	0	202.5934017	50.2674534

Analysis Variable : AWT17 REPLICATE WEIGHT 17

Sum	Minimum	Maximum	Std Dev
80853.03	0	202.5934017	49.6924672

Analysis Variable : AWT18 REPLICATE WEIGHT 18

Sum	Minimum	Maximum	Std Dev
80853.03	0	202.5934017	49.9873730

Analysis Variable : AWT19 REPLICATE WEIGHT 19

Sum	Minimum	Maximum	Std Dev
80941.21	0	202.5934017	50.2455403

Analysis Variable : AWT20 REPLICATE WEIGHT 20

Sum	Minimum	Maximum	Std Dev
80918.41	0	202.5934017	50.2313148

Analysis Variable : AWT21 REPLICATE WEIGHT 21

Sum	Minimum	Maximum	Std Dev
80910.31	0	202.5934017	50.2242968

Analysis Variable : AWT22 REPLICATE WEIGHT 22

Sum	Minimum	Maximum	Std Dev
81141.76	0	202.5934017	50.2589672

FRSS 88 Public Use Data File

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Analysis Variable : AWT23 REPLICATE WEIGHT 23

Sum	Minimum	Maximum	Std Dev
81044.22	0	202.5934017	49.9167190

Analysis Variable : AWT24 REPLICATE WEIGHT 24

Sum	Minimum	Maximum	Std Dev
80917.04	0	202.5934017	50.1962260

Analysis Variable : AWT25 REPLICATE WEIGHT 25

Sum	Minimum	Maximum	Std Dev
80920.79	0	202.5934017	50.2339342

Analysis Variable : AWT26 REPLICATE WEIGHT 26

Sum	Minimum	Maximum	Std Dev
80868.91	0	202.5934017	50.2126692

Analysis Variable : AWT27 REPLICATE WEIGHT 27

Sum	Minimum	Maximum	Std Dev
80949.38	0	202.5934017	50.1485715

Analysis Variable : AWT28 REPLICATE WEIGHT 28

Sum	Minimum	Maximum	Std Dev
80893.71	0	202.5934017	49.7163998

Analysis Variable : AWT29 REPLICATE WEIGHT 29

Sum	Minimum	Maximum	Std Dev
80893.71	0	202.5934017	50.1506566

FRSS 88 Public Use Data File

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Analysis Variable : AWT30 REPLICATE WEIGHT 30

Sum	Minimum	Maximum	Std Dev
81044.10	0	202.5934017	50.1916314

Analysis Variable : AWT31 REPLICATE WEIGHT 31

Sum	Minimum	Maximum	Std Dev
80920.25	0	211.5532957	49.8282616

Analysis Variable : AWT32 REPLICATE WEIGHT 32

Sum	Minimum	Maximum	Std Dev
80922.57	0	193.6671539	49.7705640

Analysis Variable : AWT33 REPLICATE WEIGHT 33

Sum	Minimum	Maximum	Std Dev
80885.94	0	193.6671539	50.0754637

Analysis Variable : AWT34 REPLICATE WEIGHT 34

Sum	Minimum	Maximum	Std Dev
81057.38	0	193.6671539	49.6807391

Analysis Variable : AWT35 REPLICATE WEIGHT 35

Sum	Minimum	Maximum	Std Dev
81031.88	0	193.6671539	50.0192325

Analysis Variable : AWT36 REPLICATE WEIGHT 36

Sum	Minimum	Maximum	Std Dev
81092.12	0	211.5532957	50.3766925

Analysis Variable : AWT37 REPLICATE WEIGHT 37

Sum	Minimum	Maximum	Std Dev
80908.07	0	193.6671539	49.8842729

Analysis Variable : AWT38 REPLICATE WEIGHT 38

Sum	Minimum	Maximum	Std Dev
80908.07	0	193.6671539	49.8412842

Analysis Variable : AWT39 REPLICATE WEIGHT 39

Sum	Minimum	Maximum	Std Dev
80934.86	0	211.5532957	50.3702123

Analysis Variable : AWT40 REPLICATE WEIGHT 40

Sum	Minimum	Maximum	Std Dev
80892.10	0	211.5532957	50.1247393

Analysis Variable : AWT41 REPLICATE WEIGHT 41

Sum	Minimum	Maximum	Std Dev
80885.21	0	191.7288400	49.4228905

Analysis Variable : AWT42 REPLICATE WEIGHT 42

Sum	Minimum	Maximum	Std Dev
80992.08	0	213.7220982	50.2297224

Analysis Variable : AWT43 REPLICATE WEIGHT 43

Sum	Minimum	Maximum	Std Dev
80873.63	0	191.7288400	49.9419610

FRSS 88 Public Use Data File

PUBLIC SCHOOL PRINCIPALS' PERCEPTIONS OF THEIR SCHOOL FACILITIES: FALL 2005

Analysis Variable : AWT44 REPLICATE WEIGHT 44

Sum	Minimum	Maximum	Std Dev
80877.19	0	191.7288400	49.7801758

Analysis Variable : AWT45 REPLICATE WEIGHT 45

Sum	Minimum	Maximum	Std Dev
80845.61	0	213.7220982	50.3815073

Analysis Variable : AWT46 REPLICATE WEIGHT 46

Sum	Minimum	Maximum	Std Dev
80897.25	0	191.7288400	50.0204802

Analysis Variable : AWT47 REPLICATE WEIGHT 47

Sum	Minimum	Maximum	Std Dev
80903.96	0	202.5934017	50.0913604

Analysis Variable : AWT48 REPLICATE WEIGHT 48

Sum	Minimum	Maximum	Std Dev
80956.80	0	202.5934017	50.0417693

Analysis Variable : AWT49 REPLICATE WEIGHT 49

Sum	Minimum	Maximum	Std Dev
80831.15	0	202.5934017	50.0647650

Analysis Variable : AWT50 REPLICATE WEIGHT 50

Sum	Minimum	Maximum	Std Dev
80874.35	0	202.5934017	50.3010146